



WILLIAMS REFRIGERATION

REFRIGERATED COUNTERS

HIGH PERFORMANCE REFRIGERATED COUNTERS WWW.WILLIAMS-REFRIGERATION.CO.UK



WILLIAMS' COUNTERS AT A GLANCE

✓ Standard - Not available o Optional	Opal	Emerald	Jade	Under Broiler	Chefs Drawers
Stainless steel exterior and interior	√	✓	-	✓	✓
Stainless steel base	-	-	✓	-	-
Zero ODP/GWP low foam insulation	✓	✓	✓	✓	✓
Anti-tilt shelving, racking supports	✓	✓	✓	-	-
Heavy duty swivel castors with brakes	✓	✓	✓	✓	✓
CoolSmart controller	✓	✓	✓	✓	✓
Automatic defrost	✓	✓	✓	✓	✓
Anti-condensation heaters	✓	✓	✓	✓	✓
Waste heat recovery vapouriser	✓	✓	✓	✓	✓
Adjustable operating temperature	~	✓	✓	✓	✓
Barrel locks	✓	✓	✓	-	-
Designed to 43°C ambient	✓	✓	✓	✓	✓
Reverse unit cassette system	0	0	0	-	-
Splashback	0	0	0	-	-
2 Drawer bank set	0	-	0	-	-
3 Drawer bank set	0	-	0	-	-
Raised pan holders	0	0	0	-	-
Cut out wells	0	0	0	-	-
Slimline version	-	-	0	-	-
Biscuit Top version	-	-	0	-	-

W | www.williams-refrigeration.co.uk





FEATURES AND BENEFITS

Designed and engineered to operate efficiently in the harshest of environments such as in a 43°C ambient.

Delivered to site with heavy duty swivel castors with roller bearings and brakes for improved mobility and stability. High performance leak testing of entire system guarantees system efficiency, reducing energy consumption. F-Gas & PED compliant. New, improved airflow design provides uniform air distribution with no potential warm spots and maintains constant temperature.

Foodsafe professional stainless steel exterior / interior base and back of door / aluminium walls provide hygienic, durable and easy to clean surfaces.

Easy to clean one piece stainless steel dished base with radiused corners reduces potential dirt traps. Versatile, removable racking system with nylon coated shelving provides flexible storage and ease of cleaning. Antitilt tray slides stop shelves

from tipping - easy to remove and reposition.

Removable cassette refrigeration system provides easy servicing and maintenance.



Williams CoolSmart controller is designed for easy operation and features clear digital display and visual* alarms for failsafe performance.

- Reduces energy by detecting changing situations, instigating economy mode when use is low while ensuring total food safety at all times.
- Intelligent defrost function ensures the evaporator works more efficiently. Compressor starts can be limited, thereby reducing wear and tear and prolonging compressor life.
- Safe cleaning with a low voltage controller.
- Easy servicing with clear diagnostics.
- HACCP compliant.



EC evaporator fans provide improved heat rejection for greater efficiency and reduced energy consumption.

Precision injected, high density polyurethane insulation provides maximum thermal properties with low GWP and zero ODP and further strengthens the counter.

Optional internal sliding drawers perfect for ice cream service.

Thermal break reduces heat gain through the door gasket and provides added protection for it – reducing wear and tear.



Door balloon gaskets designed with air release points avoid slitting caused by compression when door is closed. **115° and 180° door dwell** for loading large trays and pans, beneficial where walkways are limited.

Barrel locked doors for added security and stock control.

Self-closing doors avoid heat ingress and reduce energy consumption.

Heavy duty, PVC, magnetic balloon gaskets with welded corners provide durability and 100% tight seal preventing heat ingress.

Full width integral door handle provides non-slip, 'grab' on the door – a must in a busy kitchen environment whilst being easy to clean with no potential dirt traps.

Low wattage mullion heaters use low amounts
of energy but effectively
prevents condensation
forming.

Raised pan holders and cut out wells makes advanced preparation of ingredients easy by combining powerful counter storage with table top prep areas. Slimline and biscuit top models are reduced depth and height models, allowing for seamless integration with any kitchen layout. Freezer drawers and pull out internal drawers offer increased flexibility ensuring ingredients are to hand when needed regardless of temperature.











JADE COUNTERS

Our top-of-the-range Jade counters are available in standard, slimline and biscuit top configurations with optional freezer or refrigerated drawers.

With a wide range of options, including slimline versions, Williams' latest Jade counters offer an unrivalled combination of robust, energy efficient refrigeration, flexibility and good looks.

DESIGNED FOR THE REAL WORLD

With their tough, foodsafe stainless steel exterior and high performance refrigeration system, Jade counters have proven themselves in the hottest and most stressful kitchen environments. Precision injected, high-density polyurethane insulation gives extra strength while providing superior thermal efficiency with low GWP and Zero ODP.

ENERGY EFFICIENCY

Performance and efficiency are at the heart of every Williams' product and Jade counters have a range of technologies designed to minimise energy consumption.

Heavy duty balloon gaskets, combined with an enhanced thermal break, provide a 100% tight door seal. Heat ingress is reduced and air release points reduce wear and tear on the gasket.

Energy efficient anti-condensation mullion door heaters are fitted as standard on all models, eliminating condensation build up and potential slip hazards.

The Jade counter also features self-closing doors to minimise temperature gain and reduce energy consumption. The doors' 180° opening allow for easy loading and reduce the risk of accidents when space is limited.

The CoolSmart controller ensures easy operation and features a clear digital display and visual alarms for failsafe performance.

By adjusting to changing conditions, such as quiet periods, the CoolSmart controller can dramatically reduce energy consumption while ensuring total food safety at all times. The Intelligent defrost function ensures the evaporator works more efficiently.









Compressor starts can be limited, thereby reducing wear and tear and prolonging compressor life. The extra low voltage controller also allows for safe and easy cleaning.

Features like waste heat recovery vaporisers and automatic defrost reduce energy consumption further while maximising operational efficiency.

PRACTICAL FEATURES

All Jade counters are supplied with heavy duty, non-marking swivel castors for easy movement and positioning. The front brakes provide total stability once the counter is in place.

The Jade's easy grab, non-slip door handle is easy to clean with no potential dirt traps – a must in a busy kitchen environment.

Inside, the easy to clean one-piece stainless steel dished base with radiused corners, along with the removable racking and shelving system, make it easy to maintain the highest hygiene standards.

Adjustable shelving provides flexibility and the anti-tilt mechanism ensures product stability and minimises the risk of accidents.

The barrel locked doors offer complete piece of mind providing additional security and stock control.

CUSTOMISE YOUR COUNTER

lade counters can be customised with both two and three door drawer banks, ensuring easy access to produce. Freezer drawer models are also available on our two door counters.

Optional raised pan holders or cut out wells offer even more flexibility, allowing you to combine our powerful counter storage with easy to access ingredients.

When kitchen space is at a premium the Jade Slimline counter is ideal. Despite its compact dimensions, the Slimline offers the same features as a standard Jade counter, but squeezed into a depth of only 500mm.

For even greater flexibility the Jade Slimline freezer can be fitted with internal sliding drawers, making it ideal for both serving and storing ice cream at its optimum temperature.

Jade Biscuit Top counters are designed to seamlessly fit into an existing kitchen design and can slide easily under pre-fabricated worktops, giving you complete control over the kitchen aesthetics.









OPAL AND EMERALD COUNTERS

Save time and energy with the best in gastronorm counters - offering a combination of storage and preparation workspace.

ENERGY EFFICIENCY

Advanced refrigeration systems with Williams' Coolsmart controllers ensure the latest Opal and Emerald ranges lead the way in reliability and energy-efficiency.

The Intelligent defrost function ensures the evaporator works more efficiently whilst the Coolsmart controller will adjust to changing conditions, such as quiet periods to dramatically reduce energy consumption while ensuring total food safety at all times.

Self-closing doors feature heavy duty balloon gaskets and an enhanced thermal break to provide a 100% tight door seal. The counters use polyurethane insulation, with zero ODP and low GWP, to deliver superior thermal efficiency.

Energy efficient anti-condensation mullion door heaters are fitted as standard on all models, eliminating condensation build up and potential slip hazards. All of which make the Opal and Emerald the first choice for energy efficiency and low running costs.

PRACTICAL FEATURES FOR THE REAL WORLD

Designed and built to international quality standards for reliability and performance, and fully HACCP compliant, the counters are compatible with a wide range of temperature monitoring systems.

Meanwhile their quiet operation makes them ideal workstations, even in noise-sensitive areas.







The removable cassette refrigeration system makes for easier servicing, minimising disruption in the kitchen.

Opal and Emerald counters are delivered on heavy duty, non-marking swivel castors that allow for easy movement and positioning. The front brakes then provide stability once the counter is locked in place.

Easy cleaning is a given, with features including stainless steel exterior and interior and radiused corners. Removable racking with nylon-coated shelving is also fully adjustable to provide maximum storage flexibility.

FITTING EVERY FUNCTION


Their high performance refrigeration systems make the Opal and Emerald perfect for every catering environment, even in ambients up to 43°C, and their good looks make them ideal for both back- and frontof-house.

Meanwhile the variety of capacities, four temperature choices and the extensive range of options mean there's a counter for every foodservice application.

Opal counters are available with two and three door drawer banks, in both high and low temperatures ensuring easy access to produce. Optional raised pan holders or cut out wells offer even more flexibility, allowing you to combine our powerful counter storage with easy to access ingredients.







CHEF'S DRAWER

The ultimate in convenience, providing bulk storage of fresh or frozen food.

The Chef's Drawer is a large, space saving refrigerated drawer unit, an ideal solution for pubs, steakhouses and catering facilities where space is often limited.

It has been designed to fit perfectly with popular prime cooking suites, such as Falcon Foodservice Equipment's F900 Series (Dynamic Link System). Models are available as a refrigerator or freezer and can be stacked for added flexibility and to maximise product footprint.

The Chef's Drawer is designed to be robust and is built using tough stainless steel both for its exterior and interior. It can accommodate 2/1 GN pans, up to an impressive depth of 150mm.

The unit has removable drawers and fittings for ease of cleaning. Its cassette type refrigeration system is easily removable to easily help facilitate convenient on site servicing and maintenance.

Low level swivel and brake castors ensure controlled mobility and stability when positioning.

All models offer an adjustable electronic controller with digital display and have been designed to perform in an ambient environment of up to 43°C.

Built to last, they feature precision injected, high density polyurethane insulation with low GWP (Global Warming Potential) and zero ODP (Ozone Depletion Potential).







UNDER BROILER

Refrigerated storage right where you need it, in the heart of the kitchen.

The space-saving, low-height Under Broiler Counter (UBC) offers refrigerated storage directly below the cooking station.

With robust, 'easy open' drawers capable of accommodating 2/1 GN containers the UBC range of products can help maximise efficiency.

They can accommodate a variety of heavy-duty appliances, including chargrills and griddles.

The latest addition to the Williams range is the innovative UBC4 single drawer Under Broiler Counter.

The UBC4 models can be stacked to provide both refrigerated and frozen storage in a compact footprint.

THE CONVENIENT REFRIGERATED STORAGE **SOLUTION**

There are four innovative, spacesaving models in our UBC range, all designed and built to international quality standards and delivering totally reliable performance, even in ambients of 43°C.

A sleek 'easy grab' handle offers a superior grip - a must in a busy kitchen whilst reducing potential dirt traps and being easy to clean. The Under Broiler Counters are supplied with heavy duty, non-marking castors for ease of positioning.

Its forced air refrigeration system is in a removable cassette for ease of service. UBCs are fully HACCP compliant.

The Williams Coolsmart controller can reduce energy consumption by monitoring changing situations and adapting to suit such as periods of inactivity.

TECHNICAL DATA

OPAL 2 DOOR COUNTER

w1400(870) x d700(585) x h857(600)

Model	Temp °C	Running Amps	Shelves	Gross Capacity
HO2U	+1/+4	1.77	4	374(13.2)
M02U	-2/+2	1.77	4	374(13.2)
LO2U	-18/-22	2.51	4	374(13.2)
FO2U	-2/+2	3.5	4	374(13.2)

OPAL 3 DOOR COUNTER

w1880(1350) x d700(585) x h857(600)

Model	Temp °C	Running Amps	Shelves	Gross Capacity
HO3U	+1/+4	1.77	6	545(19.2)
M03U	-2/+2	1.77	6	545(19.2)
LO3U	-18/-22	2.51	6	545(19.2)
FO3U	-2/+2	3	6	545(19.2)

OPAL 4 DOOR COUNTER

w2360(1830) x d700(585) x h857(600)

Model	Temp °C	Running Amps	Shelves	Gross
				Capacity
HO4U	+1/+4	1.77	8	715(25.3)

EMERALD 2 DOOR COUNTER

w1810(1280) x d800(684) x h857(600)

Model	Temp °C	Running Amps	Shelves	Gross Capacity
HE2U	+1/+4	1.77	4	611(21.6)
ME2U	-2/+2	1.77	4	611(21.6)
LE2U	-18/-22	2.51	4	611(21.6)

IADE 2 DOOR COUNTER

w1400(870) x d700(585) x h857(600)

Model	Temp °C	Running Amps	Shelves	Gross Capacity
HJC2	+1/+4	1.77	4	374(13.2)
MJC2	-2/+2	1.77	4	374(13.2)
LJC2	-18/-22	2.51	4	374(13.2)

JADE 3 DOOR COUNTER

w1880(1350) x d700(585) x h857(600)

Model	Temp °C	Running Amps	Shelves	Gross Capacity
HJC3	+1/+4	1.77	6	545(19.2)
MJC3	-2/+2	1.77	6	545(19.2)
LJC3	-18/-22	2.51	6	545(19.2)

IADE 4 DOOR COUNTER

w2360(1830) x d700(585) x h857(600)

Model	Temp °C	Running Amps	Shelves	Gross
				Capacity
HJC4	+1/+4	1.77	8	715(25.3)

JADE SLIMLINE 2 DOOR COUNTER

w1400(870) x d500(385) x h857(600)

Model	Temp °C	Running Amps	Shelves	Gross Capacity
HJSC2	+1/+4	1.81	4	244(8.6)
LJSC2	-18/-22	2.69	4	244(8.6)

JADE SLIMLINE 3 DOOR COUNTER

w1880(1350) x d500(385) x h857(600)

Model	Temp °C	Running Amps	Shelves	Gross Capacity
HJSC3	+1/+4	1.81	6	374(13.2)
LJSC3	-2/+2	2.69	6	374(13.2)

JADE BISCUIT TOP 2 DOOR COUNTER

w1400(870) x d700(585) x h827(600)

Model	Temp °C	Running Amps	Shelves	Gross Capacity
HJBTC2U	+1/+4	1.68	4	374(13.2)
MJBTC2U	-2/+2	1.77	4	374(13.2)
LJBTC2U	-18/-22	2.58	4	374(13.2)

JADE BISCUIT TOP 3 DOOR COUNTER

w1880(1350) x d700(585) x h827(600)

Model	Temp °C	Running Amps	Shelves	Gross Capacity
HJBTC3U	+1/+4	1.68	6	545(19.2)
LJBTC3U	-18/-22	2.51	6	545(19.2)

TECHNICAL DATA

CHEFS DRAWERS

WCD1 - w880(677) x d850(522) x h528(268)

Model	Temp °C	Running Amps	Drawers	Gross Capacity
HWCD1	+1/+4°C	1.48	1	94(3.3)
LWCD1	-18/-22°C	1.46	1	94(3.3)

UNDER BROILER COUNTERS

UBC5 - w1000(587) x d782(683) x h600(399) UBC7 - w1300(589) x d782(683) x h546(345) UBC20 - w1962(1470) x d782(683) x h546(345)

Model	Temp °C	Running Amps	Drawers	Gross Capacity
UBC5	+1/+4°C	1.46	2	160(5.7)
UBC7	+1/+4°C	1.89	2	195.5(6.9)
UBC20	+1/+4°C	1.88	4	355(12.5)

Note:

All dimensions are in mm unless otherwise stated. Counter dimensions are external(internal). Capacities are in litres(cubic feet).

Full technical details can be found at www.williams-refrigeration.co.uk/info-centre



www.williams-refrigeration.co.uk

Williams Refrigeration

Bryggen Road
North Lynn Industrial Estate
King's Lynn
Norfolk PE30 2HZ
T +44 (0) 1553 817 000
F +44 (0) 1553 817 111
E info@williams-refrigeration.co.uk







Installation of all Williams products requires adequate ventilation.

Williams has recently upgraded its products. As such the 'on location' images used here, differ slightly to the new range. For true new model representation please refer to the individual product images.

Williams reserves the right to modify the design, materials and finish in accordance with its progressive development policy.

Williams Refrigeration is a trading name of AFE Group Limited.
Registered in England & Wales under Registered Number 3872673.
Registered Office Address - Bryggen Road, North Lynn Industrial Estate, Kings Lynn, Norfolk, PE30 2HZ

an Ali Group Company

